



### VL-10.4N 10.4" LCD Monitor

- 10.4" LCD Monitor
- Resolution: 800 x 600
- Aspect Ratio: 4:3
- Video Inputs: VGA, 2 Composite (BNC)
- NTSC/PAL Auto Recognition
- 100mm x 100mm VESA Hole Pattern
- Ambient Light Sensor
- Auto Re-Start After Power Loss
- 1-Year Warranty

The VL-10.4N LCD monitor offers exceptional image quality and long-term dependable performance. These are ideal for mobile, in-vehicle video systems for law enforcement and public transportation. They are also ideal for use in manufacturing, commercial and other applications requiring a great image in a compact 10.4" enclosure.

All **TRU-Vu** industrial LCD monitors are specifically designed for use in demanding industrial, commercial, security, and A/V applications. Every **TRU-Vu** monitor utilizes industrial-grade components and high-end LCD panels not found in retail/consumer-grade monitors. This ensures superior image quality, improved performance and greater durability. Visit [www.TRU-VuMonitors.com](http://www.TRU-VuMonitors.com) for more details.

Specifications	
<b>MODEL</b>	<b>VL-10.4N</b>
<b>LCD Panel</b>	10.4" Color LCD; LED Backlights
<b>Resolution</b>	800 x 600 (SVGA)
<b>Viewable Area</b>	8.31" (W) x 6.22" (H) (211.2 x 158 mm)
<b>Pixel Pitch</b>	0.264 mm
<b>Display Colors</b>	16.7m
<b>Aspect Ratio</b>	4:3
<b>Brightness</b>	250 nits
<b>Contrast Ratio</b>	500:1
<b>Viewing Angle</b>	150° (H) x 110° (V)
<b>Response Time</b>	10 msec Trf
<b>Control</b>	OSD (On-Screen Display) via Front Panel Pushbuttons
<b>Video Inputs</b>	VGA, 2 Composite (BNC), NTSC/PAL Auto Recognition
<b>Power Requirement</b>	12 -24 VDC
<b>Power Consumption</b>	7W
<b>Enclosure</b>	ABS
<b>Mounting</b>	100 X 100 mm Rear VESA Mount Holes
<b>Operating Temperature</b>	-4° to +158° F (-20 ° to +70° C)
<b>Shock</b>	100G, 6ms, +X, +Y, +Z
<b>Vibration</b>	10-55 HZ, (1.5mm stroke) 2 hrs/axis (X,Y,Z)
<b>Dimensions</b>	9.92" (W) x 8.15" (H) x 1.16" (D) (252 x 207 x 29.5 mm)
<b>Weight</b>	2.15 lbs. (0.96 kg)
<b>Included Accessories</b>	Tabletop Base, AC Power Adapter, VGA Cable, Remote Control
<b>Warranty</b>	1-Year