



SRMOBTCWPM-19C-SS

19" Sunlight Readable Panel-Mount Touch Screen

- Produces Clear, Sharp Images Even in Direct, Bright Sunlight
- 1,000 nits Brightness
- Optically Bonded
- Anti-Glare Glass
- Surface Capacitive Touch Screen
- Waterproof Stainless Steel Panel-Mount Enclosure
- Auto Re-Start After Power Loss
- Lockable OSD (On-Screen Display) Controls
- 3 Year Warranty

The SRMOBTCWPM is a 19" Sunlight Readable Touch Screen monitor in a panel-mount enclosure. It is designed for use in direct bright sunlight, or other high ambient light environments. The 1,000 nits of brightness ensure bright, crystal-clear images. The stainless steel panel-mount enclosure enables you to flush mount it into walls, dashboards, kiosks and machinery. The NEMA 4X front face ensures resistance to water. The surface capacitive touch screen can only be activated via an exposed human finger; this greatly reduces the potential for false-triggering.

All TRU-Vu industrial LCD monitors are specifically designed for use in demanding applications. Every TRU-Vu monitor utilizes industrial-grade components and high-end LCD panels not found in retail/consumer-grade monitors. This ensures superior image quality, improved performance and greater durability. Our 3-Year Warranty ensures you of reliable performance.

	Specifications
MODEL	SRMOBTCWPM-19C-SS
LCD Panel	19" Color LCD; LED Backlights
Touch Screen Type	Surface Capacitive
Touch Interface	USB
Resolution	1280 x 1024 (SXGA)
Viewing Area	14.81" (W) x 11.85" (H) (376.17 mm x 300.98 mm)
Pixel Pitch	0.294mm
Display Colors	16.7 M
Aspect Ratio	4:3 (5:4)
Brightness	1,000 nits
Contrast Ratio	1,000:1
Viewing Angle	170° (H) x 160° (V)
Response Time	5 msec (Trf)
Video Input	VGA & DVI
Protective Glass	Anti-Glare
Power	12 VDC (90-240 VAC with Included Power Brick)
Power Consumption	48 Watts
Enclosure	Stainless Steel; Waterproof (NEMA 4X) Front Face
Mounting	Panel-Mount
Operating Temperature	32° to 122° F (0° to 50° C)
Warranty	3 Years