

VM-17.3-RCKMNT

17.3" Rack Mount Monitor

- Industrial-Grade 17.3" LCD Monitor
- Full HD Resolution: 1920 x 1080 (1080p/60)
- Fold-Flat & Pull-Out Drawer Style for 19" Rack – 2U
- 8 HDMI & 1 VGA Sequenceable Inputs
- Lockable On-Screen Display (OSD) Controls
- Auto Re-Start After Power Loss
- Remote Included
- 3-Year Warranty
- TAA Compliant



17.3 INCH RACK MOUNT LCD MONITOR

The VM-17.3-RCKMNT is a 17.3 inch rack mount LCD monitor designed to provide convenient video monitoring while conserving valuable rack space. Its fold-flat, pull-out drawer design installs in a standard 19" rack and occupies only 2U of rack space when closed.

Featuring Full HD 1920 x 1080 resolution, 400 nit brightness and a 16:9 aspect ratio, the VM-17.3-RCKMNT delivers clear, detailed images for security, surveillance, server room and other professional monitoring applications.

8 HDMI INPUTS FOR MULTIPLE VIDEO SOURCES

The VM-17.3-RCKMNT features eight HDMI inputs, allowing a single monitor to perform the role of multiple individual displays. The HDMI inputs can be programmed to sequence between connected video sources, making it an ideal solution for applications requiring convenient monitoring of multiple systems.

A VGA input is also provided for compatibility with legacy video equipment.

SPACE-SAVING 2U RACK MOUNT DESIGN

Designed for installation in a standard 19" equipment rack, the VM-17.3-RCKMNT utilizes a rugged pull-out drawer assembly. The LCD folds flat when not in use, helping conserve valuable rack space while keeping the display readily accessible when needed.

The durable metal construction makes the monitor well suited for professional security, surveillance and equipment-room environments.

DESIGNED FOR SECURITY AND SURVEILLANCE APPLICATIONS

With eight HDMI inputs, sequenceable video sources and a compact rack-mount configuration, the VM-17.3-RCKMNT provides a versatile monitoring solution for CCTV and security systems, control rooms, server rooms, equipment racks and other professional installations.

The monitor is NDAA compliant and backed by a 3-year warranty.



SPECIFICATIONS

	VM-17.3-RCKMNT
LCD Panel	17.3" LCD; LED Backlights
Display Resolution	1920 x 1080 (1080P/60 Full HD)
Viewable Area	15.03" (W) x 8.42" (H) (381.8 x 214.01mm)
Display Colors	16.7 M
Aspect Ratio	16:9
Brightness	400 nits
Contrast Ratio	600:1
Viewing Angle	160° (H) x 140° (V)
Response Time	40ms
Control	OSD (On-Screen Display) via Front Panel Pushbuttons and Included IR Remote
Video Inputs	HDMI (x8) & VGA
Power Requirement	12 VDC (2.1mm Connector) / 90-240 VAC via included Power Brick
Power Consumption	23 Watts
Enclosure	Fold-Flat & Pull-Out Drawer Style. Painted Steel
Mounting	19" Rackmount - 2U
Operating Temperature	14° to +122° F (-10° to +50° C)
Humidity	5-90% RH
Shock	50 G (20 msec, 1/2 sine)
Vibration	1.5G RMS 10-200 HZ
Dimensions (drawer closed)	19" x 3.5" x 17.275" 482.6mm x 88.9mm x 438.785mm
Dimensions (drawer extended)	19" x 13" x 28" 482.6mm x 330.2mm x 711.2mm
Weight	16.75 Lbs (7.59 kg)
Warranty	3 Years

Note: Specifications subject to change without notice.

DIMENSIONS (MM)

DIMENSIONS:



Standard Accessories:

- 90-240 VAC Power Brick
- HDMI Cable