

## VM-24 Series

### 24" Customizable HD LCD Monitor

- 24" HD Color LCD Monitor
- Full HD Resolution: 1920 x 1080 (1080p/60)
- Wide Viewing Angle: 178° x 178°
- LED Backlights
- Dual Internal Speakers
- Can Be Customized to Meet Your Needs
- 3-Year Warranty



## INDUSTRIAL-GRADE 24 INCH MONITOR

The VM-24 Series are 24 inch monitors. These industrial-grade LCD monitors offer brilliant color and superb image quality while providing the reliability and rugged performance required by demanding applications. They offer full HD resolution: 1920 x 1080 (1080p/60). It is a 16:9 aspect ratio display series. The video input connectors come in a variety of options depending on the model. The VM-24 Series offers VGA, HDMI, DisplayPort, and DVI analog and digital video input capabilities, as well as dual audio speakers. An extensive list of available OEM options enables you to customize the VM-24 Series to your specific needs.

### MONITORS WITH MAXIMUM RESISTANCE TO SHOCK AND VIBRATION

The VM-24 Series also features *TRU-Vu's* exclusive *TRU-Tuff* treatment, which ensures maximum resistance to shock and vibration. The *TRU-Tuff* process includes RTV silicone on all connections and critical components; all wires are dressed, tie-wrapped and secured; and ThreadLock on all screws. This, plus the rugged powder-coated steel enclosure, ensures the VM-24 Series will provide years of reliable service.

### 24" MONITOR DESIGNED FOR 24/7/365 OPERATION

The VM-24 Series are designed to operate 24/7/365 and are backed by our full 3-Year Warranty. This series of monitors are ideal for industrial, military, food & beverage, machine vision systems, museums, surveillance, and simulator applications. View all of our standard brightness industrial monitors for indoor operation.

### OUR TECHNICAL EXPERTS ARE READY TO HELP YOU FIND THE BEST RUGGED 24" DISPLAY

With over 540 LCD monitors and touch screens on our site, selecting the ideal monitor solution may be a bit overwhelming. To help narrow-down the choices, check out our [Advanced Search Tool](#). This enables you filter by features important to you. View by 21+” size monitors, or see only those monitors that operate with 24VDC. TRU-Vu can provide modified or Custom OEM LCD Displays. Private Label Monitors are also an option if you have very specific requirements.

Remember, our team members are ready to help! We can determine the exact solution that will meet your specific needs. We will help provide crystal-clear images for your projects. Call (847) 259-2344 today to speak with one of our specialists. Above all, we will listen. It's one of the things we do best. Our professional advisors will ensure the 12" Waterproof Touch Panel-Mount monitor you receive will be and do everything you had hoped it would!


If you prefer, fill out a [quick form](#) with your requirements, and we will guide you to the proper models that will work best.

**SPECIFICATIONS**

	<b>VM-24C</b>	<b>VM-24R-24</b>
LCD Panel	24" TFT Color LCD; LED Backlights	24" Color AMVA
Display Resolution	1920 x 1080 (1080p/60, Full HD)	
Display Area	20.91" (W) x 11.76" (H) (531.36 x 298.7 mm)	
Pixel Pitch	0.277 mm	
Display Colors	16.7M	
Aspect Ratio	16:9	
Brightness	250 nits	
Contrast Ratio	3,000:1	
Viewing Angle	178° (H) x 178° (V)	
Response Time	12 msec Trf	
Video Input Connectors	VGA, DVI	VGA, HDMI, DisplayPort
Audio	Dual Rear Speakers	
Power Requirement	12 VDC (2.1mm Connector) / 90-240 VAC with included Power Brick	12-24 VDC (2.5mm Connector)
Power Consumption	27W	
Enclosure	ABS (Optional: Waterproof Stainless Steel)	
Mounting	Included Base or via 100 x 100/100 x 200 VESA Hole Pattern	
Operating / Storage Temperature	32° to 122° F (0° to 50° C)	
Humidity	5-90% RH	
Shock	50 G (20 msec, 1/2 sine)	
Vibration	1.5G RMS 10-200 HZ	
Dimensions	22.66" (W) x 13.5" (H) x 2.7" (D) / 575.8 (W) x 344 (H) x 69 (D) mm	
Weight	9.46 lb (4.29kg) lbs.	
Warranty	3 Years	

Note: Specifications subject to change without notice.

**DIMENSIONS (MM)**



**Standard Accessories:**

- VGA Cable
- HDMI Cable (Except VM-24C)
- AC Power Adapter (VM-24C)
- Audio Cable
- DVI Cable (VM-24C Only)
- Tabletop Stand
- Standard Locking Power Pigtail (VM-24R-24 Only)

**Available Options:**

- 90-240 VAC Power Supply (PS-12-LC)
- Panel-Mount
- Waterproof Stainless Steel Enclosure (VMW-24R-SS)
- White Enclosure
- BNC Input/BNC Output
- Touch Screen (ZBMT-24R)